

LOVDesign Uwe Sommerlade





Produktinformation

LOV

Design Uwe Sommerlade





LOV | Model 2140 - 2147 lounge-chair

LOV – a lightweight upholstered chair for conference, lounge and dining – at home or in a restaurant. The upholstered seat shell is available in two different back heights. Two foot cross bases are available, either on castors or glides, and a skid base. The result is a richly varied modular system from which furniture can be combined to meet a wide variety of wishes and requirements. The lines of the shells are restrained and harmonious. The proportions are balanced. Comfort is guaranteed. A timeless seating furniture program that sets an elegant accent in the room without dominating its surroundings.



Frame

Model 2140 - 2141: Skid frame made of \emptyset 12 mm steel wire, St37. The cross pieces are made of 25 x 5 mm flat steel with rounded edges welded all around the frame.

Model 2142 - 2143: 4-arm base extension made of polished aluminum, tapered from 35 mm to 22 mm, with rotating column, bottom \emptyset 50 mm, top \emptyset 40 mm. 4-arm truss support, screwed to the seat shell. Optionally, the frame is not rotatable.

Model 2144 - 2145: 4-arm base extension made of polished aluminum, tapered from 20 mm to 26 mm, with rotating column, bottom \emptyset 45 mm, top \emptyset 40 mm. 4-arm truss support, screwed to the seat shell.

Model 2146 - 2147: 4-arm base extension with castors made of polished aluminum tapered from 20 mm to 26 mm, with rotating column, bottom Ø 45 mm, top Ø 40 mm. 4-arm truss support screwed to the seat shell.

Frame surfaces

Model 2140 - 2141, chrome-plated as standard, optionally powder-coated according to BRUNE® collection.

Model 2142 - 2147, polished as standard, optional structure black matt.

Seat shell

Upholstery support consisting of a steel frame and molded wood support plate covered with molded polyurethane foam.

Fabric cover

Fabric cover according to BRUNE® collection, fabric group 3, 4, 6, or 7. Leather on request.

Seat cusion foam: RG/SH 57/40 ca. 35 mm thick

RG = specific gravity / S/H = compression hardness

Gliders + rollers

Model 2140 - 2143, standard without glides, optionally with plastic or felt glides

Model 2144 - 2145, standard glides with plastic insert, optional felt insert

Model 2146 - 2147, standard on black castors




Dimensions Model 2140

Dimensions:	Width:	В	60	cm

Depth: T 67 cm
Total height: H 88 cm
Armrest height: AH 65 cm

Armrest height: AH 65 cm Seat height: SH 47 cm

Weight: 11 kg



Dimensions Model 2141

Dimensions:	Width:	В	60 cm
-------------	--------	---	-------

Depth: T 73 cm
Total height: H 112 cm
Armrest height: AH 65 cm
Seat height: SH 47 cm

Weight: 12 kg




Dimensions Model 2142

Dimensions:	Width:	В	60 cm

Depth: T 67 cm
Total height: H 86 cm
Armrest height: AH 63 cm
Seat height: SH 45 cm

Weight: 11 kg




Dimensions Model 2143

Dimensions: Width: B 60 cm

Depth: T 73 cm
Total height: H 110 cm
Armrest height: AH 63 cm
Seat height: SH 45 cm

Weight: 12 kg






Dimensions Model 2144

Dimensions:	Width:	В	60 cm

Τ Depth: 67 cm Total height: Н 88 cm Armrest height: ΑН 65 cm

Seat height: SH 47 cm

Weight: 10,5 kg




Dimensions Model 2145

Dimensions:	Width:	В	60 cm

Depth: Τ 73 cm Total height: Н 112 cm Armrest height: ΑН 65 cm Seat height: SH 47 cm

Weight: 11,5 kg




Dimensions Model 2146

Difference of the control of the con	Dimensions:	Width:	В	60 cm
--	-------------	--------	---	-------

Depth: Τ 67 cm Total height: Н 88 cm Armrest height: ΑН 65 cm Seat height: SH 47 cm

10,5 kg



Dimensions Model 2147


Weight:

Weight:

Dimensions:	Width:	В	60 cm

Depth: Τ 73 cm Total height: Н 112 cm Armrest height: ΑН 65 cm Seat height: 47 cm SH

11,5 kg





Awards





Certificates



TÜV-Certificate
(exemplarily tested: Model 2146)



Quality management in accordance with DIN EN ISO 9001



Environmental management system in accordance with DIN EN ISO 14001



LOV

