

## Product Information

**4412**



### **4412 Folding table**

Functionality, robustness and durability are the attributes that distinguish this folding table. The model is very easy-to-handle: rather than having to follow a complex set of instructions, staff can simply proceed intuitively.

## Areas of use

**RESTAURANTS + FINE DINING | SEMINARS + CONFERENCES | CAFETERIAS + STAFF CANTEENS | MULTIFUNCTIONAL USE | COMMUNITY CENTRES + INDOOR ARENAS**

## Frame


4-foot frame, foldable, made from Ø 30 x 2 mm tubular metal, fully welded, Ø 10 mm riveted wire brackets, no play in the suspension. The foldable sides are suspended in galvanized steel clips. Transversal bars made from Ø 30 x 2 mm tubular metal, two foldable welded stacking devices from Ø 30 x 2 mm tubular metal, with white caps to protect the tables from damage. Mechanism can be locked through an angled wire bracket that is suspended in a (patented) smooth-running plastic rail, push-button operation.

## Frame surfaces


Standard version: power-coated in black, optionally powder-coated according to the BRUNE® collection or chrome-plated. Chrome-plating structure: nickel gloss 24 my, chromium 5 - 8 my.

## Table tops


**Plate C:** 30 mm thick, high-quality multi-layer plywood plate E1, top surface optionally covered with HPL plastic or wood veneer according to the BRUNE® collection. Lower surface white HPL or beech veneer. Straight edge, 2 mm thick, in material to match table top (plastic for plastic, veneer for veneer).




**Plate D:** 30 mm thick, 28 mm thick high-quality multi-layer plywood plate E1, top surface optionally covered with HPL plastic or wood veneer according to the BRUNE® collection. Lower surface white HPL or beech veneer. Edge with solid beechwood edge band, smooth finish, 9 mm thick.



**Plate E:** 30 mm thick, 28 mm high-quality multi-layer plywood board E1, coated in high-pressure laminate (HPL) or veneer according to the BRUNE® collection. Lower surface: white HPL or beech veneer. Edge: solid beech edge band, crowned, 9 mm thick.



**Plate H:** 20 mm thick, high-quality multilayer plywood plate E1, top surface covered with HPL according to the BRUNE® collection. Lower surface white HPL. Edge with solid beechwood edge band, smooth finish, 65 mm high, galvanized corners, 15 mm thick.



**Alternative option:** Plates C, D + E can also be delivered with a lightweight board made from poplar plywood (replacing the E1 board).



## Certificates

---



TÜV Certificate



Quality management in accordance  
with DIN EN ISO 9001



Environmental management system in  
accordance with DIN EN ISO 14001