

4190



4190

Table without support frame (suitable for wheel chairs). Legs in solid beech wood, rectangular-shaped, tapered at the bottom, natural coloured or stained according to BRUNE® collection.

Frame

Table system without ribs or any other horizontal support elements (wheelchair access), tapered square-shaped table legs made from beech wood, cross section 55/55 mm on top and 40/40 mm at the bottom, directly connected to the table top at 5 screwing points.

Frame surfaces

Wooden parts beechwood, varnished with UV-hardened, low solvent water paint.

Table tops

Plate C: 30 mm thick, high-quality multi-layer plywood plate E1, top surface optionally covered with HPL plastic or wood veneer according to the BRUNE® collection. Lower surface white HPL or beech veneer. Straight edge, 2 mm thick, in material to match table top (plastic for plastic, veneer for veneer).




Plate D: 30 mm thick, 28 mm thick high-quality multi-layer plywood plate E1, top surface optionally covered with HPL plastic or wood veneer according to the BRUNE® collection. Lower surface white HPL or beech veneer. Edge with solid beechwood edge band, smooth finish, 9 mm thick.





Plate E: 30 mm thick, 28 mm high-quality multi-layer plywood board E1, coated in high-pressure laminate (HPL) or veneer according to the BRUNE® collection. Lower surface: white HPL or beech veneer. Edge: solid beech edge band, crowned, 9 mm thick.



Veneer finish

Real wood veneer from the BRUNE® collection comes as a standard varnished with a low solvent content water-based lacquer, optionally stained to the BRUNE® collection.

HPL surfaces

Resopal®-HPL from the BRUNE® collection.

Gliders

Optionally: Plastic or felt gliders, or gliders with metal caps.

Dimensions

Table Height: 75 cm

Weights:	Rectangular		Trapezial	
	70x70	15 kg	140x70x61	18 kg
	120x70	23 kg	160x80x69	22 kg
	140x70	26 kg		
	160x70	29 kg	Semi circle	
			Ø140	21 kg
	80x80	18 kg	Ø160	26 kg
	120x80	25 kg		
	140x80	29 kg	Circle	
	160x80	33 kg	Ø100	21 kg
			Ø120	28 kg

Certifikates

ISO 9001:2015



Quality management in
accordance with
DIN EN ISO 9001

ISO 14001:2015



Environmental management
system in accordance with
DIN EN ISO 14001