

Design Andreas Ostwald





Design Andreas Ostwald



LIMUN | Model 2170 LIMUN Coffeetable | Model 2175

A flowing design and clean lines, ergonomics and comfort. LIMUN has a caressing volume, but its slender structure makes it look very light. The ergonomically shaped and comfortably upholstered seat shell with its gently rising armrests provides support and stability for the back and arms. LIMUN is the perfect companion for concentrated conversations in long meetings as well as for nice chats in a relaxed atmosphere.



Frame 2170

Die-cast aluminium frame polished as standard, optionally powder-coated with black matt structure. 4-arm base with conical cantilevers running from 35 mm to 22 mm. A rotating column at the bottom \emptyset 50 mm and at the top \emptyset 40 mm screwed to the seat shell with a four-arm crossbar support.

Seat shell

Seat shell based on a tubular steel frame with polyurethane foam coating. Flame resistant polyurethane foam in accordance with BS 5852 Crib 5.

Gliders

Standard version: without gliders
Optional extras: plastic gliders

felt gliders

Dimensions

 Width:
 B
 64 cm

 Depth:
 T
 64 cm

 Total height:
 H
 76,5 cm

Armrest height: AH 63-76 cm increasing

Seat height: SH 45 cm Weight: 10,5 kg



Awards







Frame 2175

Die-cast aluminium frame polished as standard, optionally powder-coated with black matt structure. 4-arm base with conical cantilevers running from 35 mm to 22 mm. Support column fixed to the base Ø 50 mm at the bottom and Ø 40 mm at the top with a round support bracket screwed to the table top. Optionally, the pedestal can be rotated.


Table tops


Table top C: 30 mm thick, multi-layer particle board, E1, coated in high pressure laminate (HPL) or veneer according to BRUNE® collection. Plate bottom side HPL white or beech veneer. ABS edging in connection with laminated top or veneer edging in combination with veneered table top. Corners rounded R65

Table top R: 30 mm thick, 28 mm strong multi-layered plywood, surface coated in high-pressure laminate (HPL) or veneer according to BRUNE® collection. Lower surface: HPL white or beech veneer. Edges multi-layered plywood, straight edges, 9 mm thick, beveled over 45 mm. Corners rounded R65

Solid core Resopal: 10 mm thick top, solid HPL anthracite, table edge bevelled at 45° at the bottom.







Veneer fisnish (Table top C and R)

Real wood veneer from the BRUNE® collection comes as a standard varnished with a low solvent content water-based lacquer, optionally stained to the BRUNE® collection.

HPL surfaces (Table top C and R)

Resopal®-HPL from the BRUNE® collection.

Dimensions and weight - Model 2175

Table height for tops C and R: 40 mm, table height for solid Resopal top: 38 mm.

Table size Weight Ø 80 cm 14,5 kg



Certificates



Quality management in accordance with DIN EN ISO 9001



Environmental management system in accordance with DIN EN ISO 14001





Seat



Seat



Details





Coffeetable