

# VARIUS

Design Prof. Matthias Rexforth



**VARIUS | Model 1360 - 1361 without armrests | Model 1365 - 1366 with armrests**

VARIUS – clear design shapes designed by Prof. Matthias Rexforth characterize this series of chairs. The restrained elegance of the chair whether it comes with or without armrests allows unobtrusive integration of VARIUS in different architectures. With the VARIUS chair varying colour concepts are implemented with ease and class. The VARIUS high chair perfectly completes the VARIUS product line.

## Frame

---

4-foot frame featuring two continuously and evenly curved side sections from Ø 16 x 2 mm tubular steel in special cantilever quality (ZSTE420) and connecting 25 x 8 mm flat-steel ribs that feature drill holes to accommodate the seat shell. The side sections are securely welded (clean joints) to the connecting ribs (through metal active gas welding), the seat shell and the frame are connected by screws in four different locations.

## Frame surfaces

---

Standard version of the frame: powder-coated in black, optionally powder-coated according to the BRUNE® collection or chrome-plated.

## Seat shell

---

Ergonomically shaped, one-piece shell made from beech plywood, approx. 9 mm thick, with multiple layers of glue. Fastened to the plywood shell at the lower frame with flat-head screws and threaded nuts (concealed).

## Wooden surfaces

---

Wooden elements made from beech wood, with natural varnish (low-solvent water varnish) in the standard version. Optionally stained according to the BRUNE® collection.

## Upholstery

---

Seats or seats and back supports and shells are optionally available with partial upholstery or fully upholstered shell, fabric cover according to the BRUNE® collection, fabric categories 3, 4, 6, 7 or 8.

|                         |                                   |              |                     |
|-------------------------|-----------------------------------|--------------|---------------------|
| Seat cushion foam:      | seat padding                      | SG/CH 35/ 50 | approx. 15 mm thick |
| Back cushion foam:      | seat padding                      | SG/CH 35/ 50 | approx. 10 mm thick |
| upholstered seat shell: | seat padding                      | SG/CH 75/130 | approx. 10 mm thick |
| Seat cushion foam:      | fully upholstered                 | SG/CH 35/ 50 | approx. 15 mm thick |
| Back cushion foam:      | fully upholstered                 | SG/CH 35/ 50 | approx. 10 mm thick |
|                         | additionally 5mm on the back side |              |                     |

SG = specific gravity, weight per m³      CH = compression hardness

## Armrests upholstery

---


Armrests optionally padded, 200 mm long. Fabric cover according to the BRUNE® collection, fabric categories 3, 4, 6, 7 or 8. In case of padded armrests stackability is limited.

## Gliders

|                   |                 |
|-------------------|-----------------|
| Standard version: | Plastic gliders |
| Optionally:       | Felt gliders    |

## Dimensions | 1360 without armrests


|             |    |       |
|-------------|----|-------|
| Dimensions: | B  | 55 cm |
|             | T  | 56 cm |
|             | H  | 87 cm |
|             | SH | 46 cm |



|          |                                     |
|----------|-------------------------------------|
| Weights: | 6,0 kg                              |
|          | 6,8 kg (with seat padding)          |
|          | 7,3 kg (with seat and back padding) |
|          | 7,5 kg (with front side padding)    |
|          | 7,0 kg (fully upholstered)          |

## Dimensions | 1365 with armrests

|             |    |       |
|-------------|----|-------|
| Dimensions: | B  | 59 cm |
|             | T  | 56 cm |
|             | AH | 67 cm |
|             | H  | 87 cm |
|             | SH | 46 cm |



|          |                                     |
|----------|-------------------------------------|
| Weights: | 7,0 kg                              |
|          | 7,8 kg (with seat padding)          |
|          | 8,3 kg (with seat and back padding) |
|          | 8,5 kg (with front side padding)    |
|          | 8,0 kg (fully upholstered)          |

## Stackability

|                       |   |
|-----------------------|---|
| Stacking type:        | Front stapling, 5 stackable chairs<br>(In case of padded armrests stackability is limited)<br>10 chairs on inclined chair stacking trolley 1997 |
| Required floor space: |   |
| Length:               | 70 cm (on stacking trolley 1997: 110 cm)  |
| Width:                | 55 cm (without arm rests)<br>57 cm (with arm rests)   |
| Height:               | 107 cm (on stacking trolley 1997: 140 cm)   |
| Optional:             | Protection plate (recommended for upholstered chairs)   |

## Row linking

---

Retractable hook-eye system  
for chair-chair | chair-armchair | armchair-armchair

## Accessories

---

Chair trolley: Model 1995 for the transport of stacked chairs  
Inclined chair stacking trolley: Model 1997 for the storage and transport of approx. 10 stacked chairs

## Certificates

---

ISO 9001:2015



Quality management in  
accordance with  
DIN EN ISO 9001

ISO 14001:2015



Environmental management  
system in accordance with  
DIN EN ISO 14001